- PI 572448 to 572455. Carthamus tinctorius L. ASTERACEAE Safflower
  - Donated by: Nielson, M.W., USDA-ARS, Forage Insects Research Lab., 2000 East Allen Road, Tucson, Arizona 85719, United States. Received 1979.
  - PI 572448 origin: UNKNOWN. cultivar: BULK 727 732. other id: W6 12784. group: W6. Cultivar. Seed.
  - PI 572449 origin: UNKNOWN. cultivar: BULK 728 730. other id: W6 12785. group: W6. Cultivar. Seed.
  - PI 572450 origin: UNKNOWN. cultivar: BULK 731. other id: W6 12786. group: W6. Cultivar. Seed.
  - PI 572451 origin: UNKNOWN. cultivar: BULK 734A. other id: W6 12787. group: W6. Cultivar. Seed.
  - PI 572452 origin: UNKNOWN. cultivar: BULK 734B. other id: W6 12788. group: W6. Cultivar. Seed.
  - PI 572453 origin: UNKNOWN. cultivar: BULK 735. other id: W6 12789. group: W6. Cultivar. Seed.
  - PI 572454 origin: UNKNOWN. cultivar: BULK 736. other id: W6 12790. group: W6. Cultivar. Seed.
  - PI 572455 origin: UNKNOWN. cultivar: BULK 737. other id: W6 12791. group: W6. Cultivar. Seed.
- PI 572456 to 572469. Carthamus tinctorius L. ASTERACEAE Safflower

Donated by: Klisiewicz, J.M., California Agr. Exp. Sta., University of California, 380 Hutchinson Hall, Davis, California 95616, United States; and Agricultural Research Service -- USDA. Received 1981.

PI 572456 origin: United States. developed: J.M. Klisiewicz, A.L. Urie. origin institute: California Agr. Exp. Sta., University of California, Dept. of Plant Pathology, Davis, California 95616 United States. cultivar: 3992. pedigree: Sel. from PI 250010. other id: GP-18. source: Crop Sci. 22(1):165 1982. group: CSR-SAFFLOWER. other id: W6 12792. group: W6. remarks: Resistance to the four known races of Fusarium and offers a broad genetic base from which plant breeders can select materials for resistance in breeding programs. Low seed oil percentage due to high ratio of pericarp (hull) tissue to oil bearing (embryo) tissue. Cultivar. Seed.